

1. The number of words can be formed by using the letters of the word Mathematics that start as well as end with T is  
 (a) 80720 (b) 90720  
 (c) 20860 (d) 37528

B  
**NIMCET-2012**

2. If  $A - B = \pi/4$ , then  $(1 + \tan A)(1 - \tan B)$  is equal to  
 (a) 2 (b) 1  
 (c) 0 (d) 3

A  
**NIMCET-2012**

3. Let  $P(E)$  denote the probability of event E. Given  $P(A) = 1$ ,  $P(B) = 1/2$ , then value of  $P(A|B)$  and  $P(B|A)$  respectively are  
 (a)  $1/4, 1/2$  (b)  $1/2, 1/4$   
 (c)  $1/2, 1$  (d)  $1, 1/2$

D  
**NIMCET-2012**

4. The number of different license plates that can be formed in the format 3 English letters (A ... Z) followed by 4 digits (0, 1, ... 9) with repetitions allowed in letters and digits is equal to  
 (a)  $26^3 \times 10^4$  (b)  $26^3 + 10^4$   
 (c) 36 (d)  $26^3$

A  
**NIMCET-2012**

5. Which of the following is correct ?  
 (a)  $\sin 1^\circ > \sin 1$  (b)  $\sin 1^\circ < \sin 1$   
 (c)  $\sin 1^\circ = \sin 1$  (d)  $\sin 1^\circ (\pi/180) \sin 1$

B  
**NIMCET-2012**

6. If two towers of heights  $h_1$  and  $h_2$  subtend angles  $60^\circ$  and  $30^\circ$  respectively at the end point of the line joining their feet, then  $h_1 : h_2$  is  
 (a) 1 : 2 (b) 1 : 3  
 (c) 2 : 1 (d) 3 : 1

D  
**NIMCET-2012**

7. If the vectors  $\vec{a} = (1, x, -2)$  and  $\vec{b} = (x, 3, -4)$  are mutually perpendicular, then the value of x is  
 (a) -2 (b) 2  
 (c) 2 (d) -4

A  
**NIMCET-2012**

8. What is the value of a for which  $f(x) = \begin{cases} \sin x & \text{if } x \leq \frac{\pi}{2} \\ ax & \text{if } x > \frac{\pi}{2} \end{cases}$  is continuous ?  
 (a)  $\pi$  (b)  $\pi/2$   
 (c)  $2/\pi$  (d) 0

C  
**NIMCET-2012**

9. If the real number x when added to its inverse gives the minimum value of the sum, then the value of x is equal to  
 (a) -2 (b) 2  
 (c) 1 (d) -1

C  
**NIMCET-2012**

10. If  $\cos(\alpha + \beta) = 4/5$  and  $\sin(\alpha - \beta) = 5/13$ ,  $0 < \alpha, \beta, \pi/4$ , then  $\tan(2\alpha) =$   
 (a)  $56/33$  (b)  $63/65$   
 (c)  $16/63$  (d)  $33/56$

A  
**NIMCET-2012**

11. The value of  $\lim_{n \rightarrow \infty} \frac{\pi}{n} \left[ \sin \frac{\pi}{n} + \sin \frac{2\pi}{n} + \dots + \sin \frac{(n-1)\pi}{n} \right]$  is  
 (a) 0 (b)  $\pi$   
 (c) 2 (d)  $\pi/2$

C  
**NIMCET-2012**

12. The point on the curve  $y = 6x - x^2$ , where the tangent is parallel to x - axis is  
 (a) (0, 0) (b) (2, 8)  
 (c) (6, 0) (d) (3, 9)

D  
**NIMCET-2012**

13. If  $I_1 = \int_0^1 2^{x^3} dx$ ,  $I_2 = \int_0^2 2^{x^3} dx$ ,  $I_3 = \int_1^2 2^{x^2} dx$ ,  $I_4 = \int_1^2 2^{x^3} dx$ , then  
 (a)  $I_1 = I_2$  (b)  $I_2 > I_1$   
 (c)  $I_3 > I_4$  (d)  $I_4 > I_3$

D  
**NIMCET-2012**

14. The value of integral  $\int_0^{\pi/4} \log \tan x dx$  is  
 (a)  $\pi$  (b)  $\pi/2$   
 (c)  $\pi/3$  (d) 0

D  
**NIMCET-2012**

15. A determinant is chosen at random from the set of all determinants of matrices of order 2 with elements 0 and 1 only. The Probability that the determinant chosen is non-zero is  
 (a)  $3/16$  (b)  $3/8$   
 (c)  $1/4$  (d) None of these

B  
**NIMCET-2012**

16. If  $\sin^2 x = 1 - x$ ,  $\cos^4 x + \cos^2 x =$   
 (a) 0 (b) 1  
 (c)  $2/3$  (d) -1

B  
**NIMCET-2012**

17. The equation of the plane passing through the point (1, 2, 3) and having the vector  $\vec{N} = 3i - j + 2k$  as its normal is  
 (a)  $2x - y + 3z + 7 = 0$  (b)  $3x - y + 2z + 7 = 0$   
 (c)  $3x - y + 2z = 7$  (d)  $3x + y + 2z = 7$

C  
**NIMCET-2012**

18. The value of  $\int_0^{\sin^2 x} \sin^{-1} 5t dt + \int_0^{\cos^2 x} \cos^{-1} 5t dt$  is  
 (a)  $\pi/4$  (b)  $\pi/2$   
 (c) 1 (d) None of these

W  
**NIMCET-2012**

roots of the equation are imaginary is

- (a)  $7/8$  (b)  $5/8$   
(c)  $3/8$  (d)  $1/8$  A

**NIMCET-2012**

20. In a class of 100 students, 55 students have passed in Mathematics and 67 students have passed in Physics. Then the number of students who have passed in Physics only is

- (a) 22 (b) 33  
(c) 10 (d) 45 D

**NIMCET-2012**

21. If H is the Harmonic mean between P and Q, then

$$\frac{H}{P} + \frac{H}{Q} \text{ is}$$

- (a) 2 (b)  $\frac{P+Q}{Q}$   
(c)  $\frac{PQ}{P+Q}$  (d) None of these A

**NIMCET-2012**

22. The number of values of K for which the system of equations  $(k+1)x + 8y = 4k$  and  $kx + (k+3)y = 3k - 1$  has infinitely many solutions is

- (a) 0 (b) 1  
(c) 2 (d) Infinite B

**NIMCET-2012**

23. The sum of  ${}^{20}C_8 + {}^{20}C_9 + {}^{21}C_{10} + {}^{22}C_{11} - {}^{23}C_{11}$  is

- (a)  ${}^{22}C_{12}$  (b)  ${}^{23}C_{12}$   
(c) 0 (d)  ${}^{21}C_{10}$  C

24. The value of the  $\text{Cot}^{-1}(21) + \text{Cot}^{-1}(-8)$  is

- (a) 0 (b)  $\infty$   
(c)  $\pi$  (d)  $\pi/2$  A

**NIMCET-2012**

25. Normal to the curve  $y = x^3 - 3x + 2$  at the point (2, 4) is

- (a)  $9x - y - 14 = 0$   
(b)  $x - 9y + 40 = 0$   
(c)  $x + 9y - 38 = 0$   
(d)  $-9x + y + 22 = 0$  C

**NIMCET-2012**

26. A problem in Mathematics is given to three students

A, B and C whose chances of solving it are  $\frac{1}{2}, \frac{1}{3}, \frac{1}{4}$  respectively. If they all try to solve the problem, what is the probability that the problem will be solved ?

(a)  $1/2$  (b)  $1/4$   
(c)  $1/3$  (d)  $3/4$  D

**NIMCET-2012**

27. The function  $x^x$  decreases in the interval

- (a) (0, e) (b) (0, 1)  
(c)  $\left(0, \frac{1}{e}\right)$  (d) None of these C

**NIMCET-2012**

the vector a and b is

- (a)  $\pi/2$  (b)  $\pi/3$   
(c)  $\pi/4$  (d)  $\pi/6$  B

**NIMCET-2012**

29. If  $\theta (0 \leq \theta \leq \pi)$  is the angle between the vectors

$\vec{a}$  and  $\vec{b}$ , then  $\frac{|\vec{a} \times \vec{b}|}{\vec{a} \cdot \vec{b}}$  equals

- (a)  $-\cot \theta$  (b)  $\tan \theta$   
(c)  $-\tan \theta$  (d)  $\cot \theta$  B

**NIMCET-2012**

30. If  $f(a+b) = f(a) \times f(b)$  for all a and b and  $f(5) = 2$ ,  $f'(0) = 3$ , then  $f'(5)$  is

- (a) 2 (b) 4  
(c) 6 (d) 8 C

**NIMCET-2012**

31. If (4, -3) and (-9, 7) are the two vertices of a triangle and (1, 4) is its centroid then the area of triangle is

- (a)  $\frac{138}{2}$  (b)  $\frac{319}{2}$   
(c)  $\frac{183}{2}$  (d)  $\frac{381}{2}$  C

**NIMCET-2012**

32. The equation of the ellipse with major axis along the x-axis and passing through the points (4, 3) and (-1, 4) is

- (a)  $15x^2 + 7y^2 = 247$  (b)  $7x^2 + 15y^2 = 247$   
(c)  $16x^2 + 9y^2 = 247$  (d)  $9x^2 + 16y^2 = 247$  B

**NIMCET-2012**

33. If the circles  $x^2 + y^2 + 2ky + 6 = 0$  and  $x^2 + y^2 + 2ky + k = 0$  intersect orthogonally then k is

- (a)  $2$  or  $-\frac{3}{2}$  (b)  $-2$  or  $-\frac{3}{2}$   
(c)  $2$  or  $\frac{3}{2}$  (d)  $-2$  or  $\frac{3}{2}$  A

**NIMCET-2012**

34. Focus of the parabola  $x^2 + y^2 - 2xy - 4(x + y - 1) = 0$  is

- (a) (1, 1) (b) (1, 2)  
(c) (2, 1) (d) (0, 2) A

**NIMCET-2012**

35. If  $\vec{a}, \vec{b}$  and  $\vec{c}$  are unit vectors such that  $\vec{a} + \vec{b} + \vec{c} = 0$ , then the value of  $\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{c} + \vec{c} \cdot \vec{a}$  is

- (a)  $\frac{2}{3}$  (b)  $-\frac{2}{3}$   
(c)  $\frac{3}{2}$  (d)  $-\frac{3}{2}$  D

**NIMCET-2012**

$(2\lambda - 1)\vec{c}$  are non-coplanar for

- (a) All values of  $\lambda$   
 (b) All except one value of  $\lambda$   
 (c) All except two values of  $\lambda$   
 (d) No value of  $\lambda$

C

**NIMCET-2012**

37. Suppose values taken by a random variable X are such that  $a \leq x_i \leq b$ , where  $x_i$  denotes the value of X in the  $i^{\text{th}}$  case for  $i = 1, 2, 3, \dots, n$ , then

- (a)  $(b - a)^2 \geq \text{Var}(x)$       (b)  $(a^2/4) \leq \text{Var}(x)$   
 (c)  $a^2 \leq \text{Var}(x) \leq b^2$       (d)  $a \leq \text{Var}(x) \leq b$

A

**NIMCET-2012**

38. If  $\omega$  is the cube root of unity, then the system of equations  $x + \omega^2y + \omega z = 0$ ,  $\omega x + y + \omega^2z = 0$ ,  $\omega^2x + \omega y + z = 0$  is

- (a) Consistent and has unique solution  
 (b) Consistent and has more than one solution  
 (c) Inconsistent  
 (d) None of these

B

**NIMCET-2012**

39. If  $x = \log_a bc$ ,  $y = \log_b ca$ , and  $z = \log_c ab$ , then

$$\frac{1}{1+x} + \frac{1}{1+y} + \frac{1}{1+z} =$$

- (a)  $abc$       (b)  $\sqrt{ab} + \sqrt{bc} + \sqrt{ca}$   
 (c) 1      (d)  $x + y + z$

C

**NIMCET-2012**

40. If  $2^a = 3^b = 6^c$  then  $ab + bc + ca =$

- (a) 1      (b) 2  
 (c) 0      (d) None of these

C

**NIMCET-2012**

41. If  $e$  and  $e'$  be the eccentricities of a hyperbola and its

conjugate, then  $\frac{1}{e^2} + \frac{1}{e'^2} =$

- (a) 0      (b) 1  
 (c) 2      (d) None of these

B

**NIMCET-2012**

42. If a fair coin is tossed  $n$  times, then the probability that the head comes odd number of times is

- (a)  $1/2$       (b)  $1/2^n$   
 (c)  $1/2^{n-1}$       (d) None of these

A

**NIMCET-2012**

43. If  $\sin(\pi \cos \theta) = \cos(\pi \sin \theta)$ , then  $\sin 2\theta =$

- (a)  $\pm \frac{3}{4}$       (b)  $\pm \frac{1}{3}$       (c)  $\pm \frac{1}{4}$       (d)  $\pm \frac{4}{3}$

D

**NIMCET-2012**

44. In which of the following regular polygons, the number of diagonals is equal to number of sides?

- (a) Pentagon      (b) Square  
 (c) Octagon      (d) Hexagon

A

**NIMCET-2012**

that of heads on 51 coins; then the value of P is

- (a)  $\frac{1}{2}$       (b)  $\frac{49}{101}$   
 (c)  $\frac{50}{101}$       (d)  $\frac{51}{101}$

D

**NIMCET-2012**

46. The equation  $(\cos p - 1)x^2 + (\cos p)x + \sin p = 0$  where  $x$  is a variable has real roots. Then the interval of  $p$  is

- (a)  $(0, 2\pi)$       (b)  $(-\pi, 0)$   
 (c)  $\left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$       (d)  $(0, \pi)$

D

**NIMCET-2012**

47. Number of real roots of  $3x^5 + 15x - 8 = 0$  is

- (a) 3      (b) 5  
 (c) 1      (d) 0

C

**NIMCET-2012**

48. The value of  $k$  for which the set of equations  $3x + ky - 2z = 0$ ,  $x + ky + 3z = 0$  and  $2x + 3y - 4z = 0$  has a non-trivial solution, is

- (a)  $\frac{15}{2}$       (b)  $\frac{17}{2}$   
 (c)  $\frac{31}{2}$       (d)  $\frac{33}{2}$

D

**NIMCET-2012**

49. If  $x = \log_3 5$ ,  $y = \log_{17} 25$ , then which one of the following is correct?

- (a)  $x > y$       (b)  $x < y$       (c)  $x \leq y$       (d)  $x = y$

A

50. If  $A = \begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}$ , then  $A^n$  for any natural number  $n$  is:

- (a)  $\begin{bmatrix} n & n \\ 0 & n \end{bmatrix}$       (b)  $\begin{bmatrix} 1 & n \\ 0 & 1 \end{bmatrix}$   
 (c)  $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$       (d) None of these.

B

**ANALYTICAL ABILITY AND LOGICAL REASONING**

51. In ROAST is coded as PQYUR in a certain language, then SLOPPY is coded in that language as:

- (a) MRNAQN      (b) NRMNQA  
 (c) QNMRNA      (d) RANNMQ.

C

52. If Lelibroon means yellow hat, plakafroti means flower graden and frotimix means garden salad, then which word could mean "yellow flower"?

- (a) Lelifroti      (b) Lelipleka  
 (c) Plekabroon      (d) Frontibroon.

B

53. If + is \*, - is +, \* is / and / is -, then  $6^* - 9^* + 8/3 ? 20$  is:



- (a) -2      (b) 6      (c) 10      (d) 12.

C

- (a) Saturday (b) Sunday  
(c) Thursday (d) Tuesday. B
55. The letters P, Q, R, S, T, U and V not necessarily in that order represent seven consecutive integers from 22 to 33 and :
- U is as much less than Q as R is greater than S.
  - V is greater than U.
  - Q is the middle term.
  - P is greater than S.
- Then the sequence of letters from the lowest value of the highest value is :
- (a) TVPQRSU (b) TRSQUPV  
(c) TUSQRPV (d) TVPQSRU. C
56. The minimum number of tiles of size 16 by 24 required to form a square by placing them adjacent to one another is :
- (a) 6 (b) 8  
(c) 11 (d) 16. A
57. Five persons K, L, M, N and O are sitting around a dining table. K is the mother of M, M is actually the wife of O, N is the brother of K and L is the husband of K, how is N related to L?
- (a) Son (b) Cousin  
(c) Brother (d) Brother in-law. D
58. Three men A, B, C play cards. If one loses the game he has to give Rs. 2. If he wins the game he will gain Rs. 3 each from the other two losers. If A has won 3 games, B loses Rs. 3, C wins Rs. 12, then the total number of games played is :
- (a) 12 (b) 21 (c) 20 (d) 6. A
59. If a man walks at the rate of 4 kmph, he misses a train by only 6 min. However if he walks at the rate of 5 kmph he reaches the station 6 minutes before the arrival of the train. The distance covered by him to reach the station is :
- (a) 4 (b) 7 (c) 9 (d) 5. A
60. The missing number in the given series is 3, 6, 6, 12, 9, 12 :
- (a) 15 (b) 18 (c) 11 (d) 13. C
61. A man runs 20 m towards east and turns right, runs 10 m and turns right, runs 9 m and turns left, runs 5 m and turns left, runs 12 m and finally turns left and runs 6m. Which direction is the man facing?
- (a) North (b) South (c) East (d) West. A
62. In a club there are certain number of males and females. If 5 females are absent then female strength will be 5 times that of males. Number of males actually present is :
- (a) 45 (b) 80 (c) 105 (d) 175. B
63. The missing number in the following series is 6, 12, 21, ..., 48 :
- (a) 40 (b) 33 (c) 38 (d) 45. B

**do one housekeeping task mopping, sweeping, laundry, vacuuming or dusting one day a week, Monday through Friday.**

- \* Vernon does not vacuum and does not do his task on Tuesday.  
\* Sally does the dusting and does not do it on Monday or Friday.  
\* The mopping is done on Thursday.  
\* Terry does his task, which is not vacuuming, on Wednesday.  
\* The laundry is done on Friday and not by Uma.  
\* Randy does his task on Monday.
64. The task done by Terry on Wednesday is :
- (a) Vacuuming (b) Dusting  
(c) Mopping (d) Sweeping. D
65. The day on which the Vacuuming is done is :
- (a) Friday (b) Monday  
(c) Tuesday (d) Wednesday. B
66. Sally does dusting on :
- (a) Friday (b) Monday  
(c) Tuesday (d) Wednesday. C
67. Find the odd number in the series : 2, 9, 28, 65, 126, 216, 344, ... :
- (a) 28 (b) 65  
(c) 126 (d) 216. B
68. Average age of students of an adult school is 40 years. 120 new students whose average is 32 years joined the school. As a result the average age is decreased by 4 years. The number of students of the school after joining of the new students is :
- (a) 1200 (b) 120  
(c) 360 (d) 240. D
- Questions 69 to 70 are based on the following :**  
**P, Q, R, S, T, U, V and W are sitting round the circle and are facing the centre. P is second to the right of T, T is the neighbour of R and V, S is not the neighbour of P, V is the neighbour of U, Q is not between S and W, and W is not between U and S.**
69. Which two of the following are not neighbours?
- (a) RV (b) UV  
(c) RP (d) QW. A
70. What is the position of S?
- (a) Between U and V.  
(b) Second to the right of P.  
(c) To the immediate right of W.  
(d) Data inadequate. D
71. The ratio between a two digit number and the sum of the digits of that number is 4 : 1. If the digit in the units place is 3 more than the digit in ten's place, then the number is :
- (a) 24 (b) 63  
(c) 36 (d) 42. C



- (a) 2 (b) 3  
(c) 5 (d) cannot be determined.

C

73. A, B, C, D, E, F and G are sitting in a line facing East. C is immediate to the right of D, B is at one of the extreme ends and has E as his neighbor. G is between E and F, D is sitting third from the south end. Who is sitting third from North?  
(a) A (b) E (c) F (d) G D
74. There is a family party consisting of two fathers, two mothers, two sons, one father-in-law, one mother-in-law, one daughter-in-law, one grandfather, one grandmother and one grandson. What is the minimum number of persons required so that this is possible?  
(a) 5 (b) 6 (c) 7 (d) 8. A
75. If A is brother of B, C is brother of B and A is brother of D, then which of the following must be true?  
(a) A is brother of C (b) B is brother of C  
(c) D is brother of C (d) B is brother of D. A

**Questions 76 to 78 are based on the following :**

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have colored roofs and chimneys. The roof and chimney of each house must be painted as follows :

- 1) the roof must be painted either green, red or yellow.
- 2) The chimney must be painted either white, black or red.
- 3) No house may have the same color chimney as the color of roof.
- 4) No house may use any of the same colors that adjacent house uses.
- 5) House E has a green roof.
- 6) House B has a red roof and a black chimney.

76. Which of the following is true?  
(a) At least two houses have black chimney.  
(b) At least two houses have red roofs.  
(c) At least two houses have white chimneys.  
(d) At least two houses have green roofs. C
77. If house C has a yellow roof, then which of the following must be true?  
(a) House E has a white chimney.  
(b) House E has a black chimney.  
(c) House E has a red chimney.  
(d) House D has a red chimney. A
78. What is the maximum number of green roofs?  
(a) 1 (b) 2  
(c) 3 (d) 4. C

(a) Husband (b) Father. B  
(c) Grandfather. (d) Grand father. B

80. Instead of walking along two adjacent sides of a rectangular field, a body took a short cut along the diagonal of the field and saved a distance equal to half the longer side. The ratio of the shorter side of the rectangle to the longer side is :  
(a) 1/2 (b) 2/3 (c) 1/4 (d) 3/4. D
81. Each word is parenthesis below is formed in a method. This method is used in all four examples :  
SNIP (NICE) PACE  
TEAR (EAST) FAST  
TRAY (RARE) FIRE  
POUT (OURS) CARS.  
Based on this method, the word in the parenthesis of CANE (?) BATS is :  
(a) NEAT (b) CATS  
(c) ANTS (d) NETS. C

82. A study of native born residents in an area of Adivasis found that two-thirds of the children developed considerable levels of nearsightedness after starting school, while their illiterate parents and grandparents, who had no opportunity for formal schooling, showed no signs of this disability.  
If the above statements are true, which of the following conclusions is most strongly supported by them?  
(a) Only people who have the opportunity for formal schooling develop nearsightedness.  
(b) People who are illiterate do not suffer from nearsightedness.  
(c) The nearsightedness in the children is caused by the visual stress required by reading and other class work.  
(d) Only literate people are nearsighted. C

**Questions 83 to 85 are based on the following :**

- \* A causes B or C, but not both
- \* F occurs only if B occurs.
- \* D occurs if B or C occurs.
- \* E occurs only if C occurs
- \* J occurs only if E or F occurs.
- \* D causes G or H or both.
- \* H occurs if E occurs.
- \* G occurs if F occurs.

83. If A occurs, which may occur?  
I. F and G II. E and H III. D  
(a) I only.  
(b) II only.  
(c) I and III or II and III, but not both.  
(d) I, II and III. C
84. If B occurs, which must occur?  
(a) D (b) G (c) H (d) J. A
85. If J occurs, which must have occurred?  
(a) Both E and F (b) Either B or C  
(c) Both B and C (d) None of these. B

- (a)  $(x - z)^2 y$  is even (b)  $(x - z) y^2$  is odd  
 (c)  $(x - z) y$  is odd (d)  $(x - y)^2 z$  is even. A
87. Pointing to a man in the photograph a lady said. "The father of his brother is the only son of my mother." How is this man in photograph related to the lady?  
 (a) Brother (b) Son  
 (c) Grandson (d) Nephew. D

**Questions 88 to 90 are based on the following :**

Six boys A, B, C, D, E and F are marching in a line. They are arranged according to their heights, the tallest being at the back and the shortest in the front. F is between B and A, E is shorter than D but taller than C who is taller than A, E and F have two boys between them. A is not the shortest among them.

88. Where is E?  
 (a) Between A and B (b) Between C and A  
 (c) Between D and C (d) In front of C. C
89. If we start counting from the shortest, which boy is fourth in the line?  
 (a) E (b) A (c) D (d) C. D
90. Who is next to the shortest?  
 (a) C (b) B (c) E (d) F. D

**GENERAL ENGLISH**

In questions 91 to 97, fill in the blank with correct option to make a proper sentence :

91. And how for this evening's main headline, Britain\_\_\_\_another Olympic gold medal :  
 (a) Had won (b) Wins  
 (c) Won (d) Has won B
92. If she\_\_\_\_about his financial situation, she would have helped him out :  
 (a) knew (b) had been knowing  
 (c) had known (d) have known. C
93. I am sure she can teach computers as well. She's not\_\_\_\_new to the subject :  
 (a) All together (b) Altogether  
 (c) Alltogether (d) Together. C
94. You are trying to drag me\_\_\_\_\_a controversy :  
 (a) in (b) into (c) from (d) for. B
95. The people\_\_\_\_you socialise are called friends :  
 (a) with whom (b) who  
 (c) with who (d) whom. A
96. \_\_\_\_\_to school yesterday?  
 (a) Did you walk (b) Did you walked  
 (c) Do you walk (d) Have you walked  
 A
97. There was no\_\_\_\_\_in the railway compartment for additional passengers :  
 (a) space (b) place  
 (c) seat (d) room. C
98. The sentence below has 2 blanks. Fill in the blanks picking the appropriate pair of words from the ones given below that best completes the meaning of the sentence. The most technologically advanced

- (a) Wars; viciousness (b) Catastrophes; ill-will  
 (c) Atrocities; development (d) Triumphs; civilization. C
99. Fill in the blanks with the correct form of tense. The thief\_\_\_\_\_before the police came :  
 (a) Escaped (b) Had escaped  
 (c) Will escape (d) Has been escaped. B
100. Fill in the blank with appropriate words given. Anne had to pay for everything because as usual, Peter\_\_\_\_\_his wallet at home :  
 (a) had left (b) was leaving  
 (c) left (d) leave. A
101. Pick the synonym of the word MEAGRE :  
 (a) helpful (b) abundant  
 (c) essential (d) limited. D
102. Choose the words that best express the meaning of the given idiom - Mid Slingshot :  
 (a) Giving pain.  
 (b) Abusing someone.  
 (c) Laying blame.  
 (d) Damaging the reputation. D
103. For a word, four spellings are given. Choose the correct one :  
 (a) cieling (b) cealing  
 (c) ceiling (d) ceeling. C
104. Choose the wrongly spelt word :  
 (a) Believe (b) Relieve  
 (c) Grieve (d) Decieve. D
105. Choose the word or phrase that is most similar in meaning to the word - POLEMIC :  
 (a) black (b) magnetic  
 (c) grimace (d) controversial. D
106. Pick the antonym of the word TIMID :  
 (a) bold (b) lazy  
 (c) calm (d) slow. A
107. Pick the part of the sentence that has an error. If you would have come to me, I would have helped you :  
 (a) If you would have (b) Come to me  
 (c) I would have (d) Helped you. A
108. Choose the word or phrase that is most nearly opposite in meaning to the word EXTRINSIC :  
 (a) Reputable (b) Inherent  
 (c) Ambitious (d) Cursory. B
109. Select the alternative giving the closest meaning of the idiom - To eat a humble pie :  
 (a) To become a vegetarian.  
 (b) Disinfecting everywhere.  
 (c) To fill one's belly.  
 (d) To say you are sorry for a mistake that you made. D
110. Pick the antonym of the word FABRICATE :  
 (a) Construct (b) Weaken  
 (c) Dismantle (d) Evolve. C

- (a)  $(195\ 084)_{10}$   
 (b)  $(001011111010\ 00001100)_2$ .  
 (c) both (a) and (b).  
 (d) none of these. B
112. The decimal equivalent of octal number 111 010 is :  
 (a) 81 (b) 72 (c) 71 (d) 61 B
113. An I/O processor controls the flow of information between :  
 (a) cache memory and I/O devices.  
 (b) main memory and I/O devices.  
 (c) two I/O devices.  
 (d) cache and main memories. B
114. Which of following devices will take highest time in taking the backup of the data from a computer?  
 (a) Magnetic Disk (b) Pen Drive  
 (c) CD (d) Magnetic Tape. C
115. ROM is a kind of :  
 (a) primary memory (b) cache memory  
 (c) removable memory (d) secondary memory.  
 A
116. The errors that can be pointed out by compilers are :  
 (a) Syntax (b) Semantic errors  
 (c) Logical errors (d) Internal errors. A
117. Let  $x = 1111010$  and  $y = 00001010$  be two 8-bit 2's complement numbers. Their product in 2's complement notation is :  
 (a) 11000100 (b) 10011100  
 (c) 10100101 (d) 11010101. A
118. The range of numbers that can be stored in 8 bits, if negative numbers are stored in 2's complement form is:  
 (a) -128 to +128 (b) -128 to +127  
 (c) -127 to +128 (d) -127 to +127. B
119. Primary storage is \_\_\_ as compared to secondary memory :  
 (a) slow and expensive (b) fast and inexpensive  
 (c) fast and expensive (d) slow and inexpensive.  
 C
120. Which of the following unit is used to supervise each instruction in the CPU?  
 (a) Control Unit (b) Accumulator  
 (c) ALU (d) Control Register. A